

Available from:
FILQUIP Pty Limited

5/126 Compton Rd, Underwood,
Qld 4119 Australia
Ph: +61 7 3208 3499 Fx: +61 7 3208 3449
Email: sales@filquip.com.au
www.filquip.com.au

WETDUST™

Conditioners for Industrial Dusts

quick return
on investment




In terms of function and economy, the WETDUST™ Conditioner is the ideal machine for the evacuation, conditioning and disposal of industrial dust.

Thanks to its particular technical features, the use of innovative materials and extremely short processing time, WETDUST™ is suitable for both continuous and batch operation in heavy-duty applications.

The self-cleaning chamber liner made of nonstick wear-resistant SINT™-material makes daily cleaning, which is necessary with other machines, superfluous. Quick and easy dismantling makes WETDUST™ extremely maintenance-friendly.

Overall Dimensions



CODE	A	Ø B	C	Ø D	E	G	H	I	Ø L	M	kg	kW	m³/h
WETDUST®	2,115	273	700	273	590	226	650	442	219	186	146	5.5	1.5 - 3

Dimensions in mm



»»» »»»

Filtering



»»» »»»



Conditioning



Benefits

- ✓ Quick return on investment;
- ✓ Easy to install;
- ✓ Very little maintenance required;

- ✓ No material residue;
- ✓ Rotor completely removable and replaceable.



Applications



FOUNDRY



STEEL INDUSTRY



POWER PLANTS



CHEMICAL

Available from:
FILQUIP Pty Limited

5/126 Compton Rd
Underwood Qld 4119
Australia

Phone: +61 7 3208 3499

Fax: +61 7 3208 3449

Email: sales@filquip.com.au

www.filquip.com.au



WAMGROUP®



WAM®



FLITECH®



MAP®



EXTRAC®



SPECO®



TOREX®



OLI®



RONCUZZI®



TECNO CM



MAP™



UNI EN ISO 9001-2000
Certified Company

www.wamgroup.com